

FORM PTO-1449 (Modified)	ATTY. DOCKET NO. 24736-2049	SERIAL NO. 09/663,968
	APPLICANT Ping, Yip	
	FILING DATE September 19, 2000	GROUP 1743

LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENT

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER							DATE	COUNTRY	CLASS	SUB CLASS	Translation	
													Yes	No
	BV	9	8	3	3	8	0	8	08/06/98	PCT				
	BW	9	9	1	2	0	4	0	03/11/99	PCT				
	BX	9	9	3	1	2	7	8	06/24/99	PCT				
	BY	9	9	5	7	3	1	8	11/11/99	PCT				
	BZ	0	0	5	6	4	4	6	09/28/00	PCT				
	CA	0	0	6	0	3	6	1	10/12/00	PCT				

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

	CB	Badger <i>et al.</i> , New features and enhancements in the X-PLOR computer program, <i>Proteins</i> 35(1):25-33 (1999)
	CC	Braun <i>et al.</i> , Improved analysis of microsatellites using mass spectrometry, <i>Genomics</i> 46(10):18-23 (1997)
	CD	Database WPI, Derwent publication # 011635345 citing International Patent Application WO 9747974 of the parent French Patent Application FR 2,749,662.
	CE	Goldmacher <i>et al.</i> , Photoactivation of toxin conjugates, <i>Bioconj. Chem.</i> 3:104-107 (1992)
	CF	Hazum <i>et al.</i> , A photocleavable protecting group for the thiol function of cysteine, in <i>Pept., Proc. Eur. Pept. Symp., 16th Brunfeldt, K (ed), pp. 105-110- (1981)</i>
	CG	Hinton <i>et al.</i> , "The application of robotics to fluorometric and isotopic analyses of uranium.", Laboratory Automation & Information Management, NL, Elsevier Science publishers BV., Amsterdam, Vol. 21 no. 2/03, pp. 223-227, December 1, 1993.
	CH	Instrumentation; Bar code systems, including one and two dimensional bar codes, readable and readable/writable codes and systems; Datalogic S.p.A. of Italy ("Datalogic") located at http://www.datalogic.com
	CI	Instrumentation; DYNABEADS, streptavidin-coated magnetic beads; from Dynal, Inc. Great Neck, NY and Oslo Norway

EXAMINER

DATE CONSIDERED

EXAMINER

are through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 (Modified)	ATTY. DOCKET NO. 24736-2049	SERIAL NO. 09/663,968
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT	APPLICANT Ping, Yip	
	FILING DATE September 19, 2000	GROUP 1743

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

CK	Instrumentation; "Multimek 96" automated pipettor; Beckman Coulter, Inc. located at http://www.coulter.com , 09/08/99
CL	Instrumentation; "Model CRS A 255" robot "Digital Servo Gripper" "Plate Cube" system. "lid parking station" "shaker" Robocon Labor-und Industrieroboter Ges.m.b.H of Austria ("Robocon")
CM	Instrumentation; "Nano-Plotter" from GeSiM, Germany, located at http://www.gesim.de/np-intro.htm
CN	Instrumentation; "Genesis 200/8" (200 cm with including an 8-tip arm) liquid handling systems; Tecan AG of Switzerland ("Tecan"), TECAN Products for Diagnostics and Life Science, located at http://www.tecan.ch/index.htm
CO	International Search Report for International Application No. PCT/US00/08111, Date of Mailing November 11, 2000.
CP	Little <i>et al.</i> , MALDI on a chip: analysis of arrays of low-femtomole to subfemtomole quantities of synthetic oligonucleotides and DNA diagnostic products dispensed by a piezoelectric pipet, <i>Anal. Chem.</i> 69:4540-4546 (1997)
CQ	Little <i>et al.</i> , Identification of apolipoprotein E polymorphisms using temperature cycled primer oligo base extension and mass spectrometry, <i>Eur J clin Chem Clin Biochem</i> 35(7):545-8 (1997)
CR	Nelson, S.J. and T.R. Brown, "The accuracy of Quantification from 1D NMR Spectra Using the PIQABLE Algorithm," <i>Journal of Magnetic Resonance</i> 84:95-109 (1989)
CS	Nilges <i>et al.</i> , Automated NOESY interpretation with ambiguous distance restraints: the refined NMR solution structure of the pleckstrin homology domain from β -spectrin, <i>J. Mol. Biol.</i> 269:408-422 (1997)
CT	Senko <i>et al.</i> , Automated Assignment of Charge States from Resolved Isotopic Peaks for Multiply Charged Ions, <i>J. Am. Soc. Mass Spectrom</i> 6:52-56 (1995).
CU	Senter <i>et al.</i> , Novel photocleavable protein crosslinking reagents and their use in the preparation of antibody-toxin conjugates, <i>Photochem. Photobiol.</i> 42:231-237 (1985)
CV	Sequenom Advances the Industrial Genomics Revolution with the Launch of Its DNA MassArray™ Automated Process Line, Press Release: Sept. 28, 1998, http://www.sequenom.com/pressrelease.htm

EXAMINER

DATE CONSIDERED

EXAMINER: [Signature] [Name] [Title] [Address] [City] [State] [Zip] [Phone] [Fax] [E-mail] [Web] [Other] [Comments]

The information contained herein is confidential and not to be disclosed to the public without the written consent of the examiner. This information is provided for your information only and is not to be used for any other purpose. Please do not distribute this information to anyone else. Please provide a copy of this form with next communication to applicant.

FORM PTO-1449 (Modified)	ATTY. DOCKET NO. 24736-2049	SERIAL NO. 09/663,968
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT	APPLICANT Ping, Yip	
	FILING DATE September 19, 2000	GROUP 1743

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

CX	Tammen <i>et al.</i> , Proteolytic cleavage of glucagon-like peptide-1 by pancreatic β cells and by fetal calf serum analyzed by mass spectrometry, <i>J. Chromatogr. A</i> 852:285-295 (1999).
CY	Thompson, Fitting robots with white coats, <i>Laboratory Automation and Information Management</i> 31:173-193 (1996).
CZ	Wang <i>et al.</i> , Allene γ_9 and γ_{10} : low-temperature measurements of line intensity, <i>J Mol Spectrosc</i> 194(20:256-268 (1999)
DA	Weiler <i>et al.</i> , Hybridisation based DNA screening on peptide nucleic acid (PNA) oligomer arrays, <i>Nucleic Acids Res.</i> 25:2792-2799 (1997)
DB	Yen <i>et al.</i> , Synthesis of water-soluble copolymers containing photocleavable bonds, <i>Makromol. Chem.</i> 190:69-82 (1989)

EXAMINER

DATE CONSIDERED

EXAMINER'S COMMENTS: [The following information is provided for the examiner's information and is not to be used for the purpose of communication to applicant.]

FORM PTO-1449 (Modified)	ATTY. DOCKET NO. 24736-2049	SERIAL NO. 09/663,968
	APPLICANT Ping, Yip	
	FILING DATE September 19, 2000	GROUP 1743

LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENT

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER							DATE	NAME	CLASS	SUB CLASS	FILING DATE
	AZ	6	0	4	3	0	3	1	03/28/00	Köster <i>et al.</i>	435	6	03/18/96
	BA	6	0	6	0	0	2	2	05/09/00	Pang <i>et al.</i>	422	65	07/03/97
	BB	6	1	1	1	2	5	1	08/29/00	Hillenkamp	250	288	09/19/97
	BC	6	1	3	2	6	8	5	10/17/00	Kercso <i>et al.</i>	422	104	08/10/98
	BD	6	1	3	3	4	3	6	10/17/00	Köster <i>et al.</i>	536	24.3	09/19/97
	BE	6	1	4	0	0	5	3	10/31/00	Köster	435	6	09/25/98
	BF	6	1	4	6	8	5	4	11/14/00	Köster <i>et al.</i>	435	1.1	08/31/95
	BG	6	1	4	7	3	4	4	11/14/00	Annis <i>et al.</i>	250	281	01/19/99

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER							DATE	COUNTRY	CLASS	SUB CLASS	Translation Yes No	
	BH	0	5	9	6	2	0	5	05/11/94	EP				
	BI	2	7	4	9	6	6	2	12/12/97	FR				
	BJ	9	3	1	5	4	0	7	08/05/93	PC				
	BK	9	4	1	6	1	0	1	07/21/94	PCT				
	BL	9	4	2	1	8	2	2	09/29/94	PCT				
	BM	9	6	2	9	4	3	1	09/26/96	PCT				
	BN	9	7	0	8	3	0	6	03/06/97	PCT				
	BO	9	7	3	7	0	4	1	10/09/97	PCT				
	BP	9	7	4	2	3	4	8	11/13/97	PCT				
	BQ	9	7	4	3	6	1	7	11/20/97	PCT				
	BR	9	8	1	2	7	3	4	03/26/98	PCT				
	BS	9	8	2	0	0	1	9	05/14/98	PCT				

EXAMINER

DATE CONSIDERED

EXAMINER

One through citation of not more than three prior art references is permitted in this communication to applicant.